

## APPENDIX B2

### GRID DIAGNOSTIC EQUATIONS

The following are mathematical expressions of the GEMPAK functions involving differential operators. The terms involving the map scale factors ( $m_x$ ,  $m_y$ ) can be derived by expanding the differential operators, applying the partial derivatives to the unit basis vectors as well as the components of the vectors. The partial derivatives of the basis vectors are obtained by evaluating the Christoffel symbols defined in tensor analysis. The deformation terms are derived by expanding the velocity in a vector Taylor series from which the quadratic and higher order terms are dropped. The resulting differential operators are expanded as described above allowing the result to be expressed in terms of divergence, vorticity, and the deformation components.

The following two-dimensional vectors are defined:

$$\underline{V} = u\hat{i} + v\hat{j}$$

$$\underline{V}_n = u_n\hat{i} + v_n\hat{j}$$

where

$$n = 1 \text{ or } 2$$

Advection of a scalar:

$$ADV(s, \underline{V}) = -\underline{V} \cdot \nabla s = -um_x \left( \frac{\partial s}{\partial x} \right) - vm_y \left( \frac{\partial s}{\partial y} \right)$$

Absolute vorticity:

$$AVOR(\underline{V}) = \zeta + f$$

where

$$\zeta = VOR(\underline{V})$$

Vector cross product:

$$CROS(\underline{V}_1, \underline{V}_2) = |\underline{V}_1 \times \underline{V}_2| = u_1v_2 - u_2v_1$$

## GEMPAK Grid Diagnostic Equations

Derivative with respect to x:

$$DDX(s) = m_x \left( \frac{\partial s}{\partial x} \right)$$

Derivative with respect to y:

$$DDY(s) = m_y \left( \frac{\partial s}{\partial y} \right)$$

Deformation:

$$DEF(\underline{V}) = \sqrt{(T^2 + H^2)}$$

where

$$H = \text{shearing deformation} = SHR(\underline{V})$$

$$T = \text{stretching deformation} = STR(\underline{V})$$

Divergence:

$$DIV(\underline{V}) = \nabla \bullet \underline{V} = m_x \left( \frac{\partial u}{\partial x} \right) + m_y \left( \frac{\partial v}{\partial y} \right) - u \frac{m_x}{m_y} \left( \frac{\partial}{\partial x} m_y \right) - v \frac{m_y}{m_x} \left( \frac{\partial}{\partial y} m_x \right)$$

Dot product:

$$DOT(\underline{V}_1, \underline{V}_2) = \underline{V}_1 \bullet \underline{V}_2 = u_1 u_2 + v_1 v_2$$

Partial x derivative of a vector:

$$DVDX(\underline{V}) = \left( m_x \frac{\partial u}{\partial x} - v \frac{m_y}{m_x} \left( \frac{\partial}{\partial y} m_x \right) \right) \hat{i} + \left( m_x \frac{\partial v}{\partial x} + u \frac{m_y}{m_x} \left( \frac{\partial}{\partial y} m_x \right) \right) \hat{j}$$

Partial y derivative of a vector:

$$DV DY(\underline{V}) = \left( m_y \frac{\partial u}{\partial y} + v \frac{m_x}{m_y} \left( \frac{\partial}{\partial x} m_y \right) \right) \hat{i} + \left( m_y \frac{\partial v}{\partial y} - u \frac{m_x}{m_y} \left( \frac{\partial}{\partial x} m_y \right) \right) \hat{j}$$

## GEMPAK Grid Diagnostic Equations

Surface frontogenesis:

$$FRNT(\theta, \underline{V}) = \frac{1}{2}c|\nabla\theta|[E \cos(2\beta) - D]$$

where

$$\beta = \sin^{-1} \left( \frac{-\cos(\delta)m_x \left( \frac{\partial\theta}{\partial x} \right) - \sin(\delta)m_y \left( \frac{\partial\theta}{\partial y} \right)}{|\nabla\theta|} \right)$$

$$\delta = \frac{1}{2} \tan^{-1} \left( \frac{H}{T} \right)$$

$$D = DIV(\underline{V})$$

$\delta$  = angle of local axis of dilatation

$c$  =  $1.08 \times 10^9$ , a unit conversion

$E$  = total deformation

$H$  = shearing deformation

$T$  = stretching deformation

Gradient:

$$GRAD(s) = \nabla s = m_x \left( \frac{\partial s}{\partial x} \right) \hat{i} + m_y \left( \frac{\partial s}{\partial y} \right) \hat{j}$$

Inertial Advection:

$$INAD(\underline{V}_1, \underline{V}_2) = (\underline{V}_1 \bullet \nabla) \underline{V}_2 =$$

$$\left[ \underline{V}_1 \bullet \nabla u_2 + v_1 v_2 \frac{m_x}{m_y} \left( \frac{\partial}{\partial x} m_y \right) - u_1 v_2 \frac{m_y}{m_x} \left( \frac{\partial}{\partial y} m_x \right) \right] \hat{i} +$$

$$\left[ \underline{V}_1 \bullet \nabla v_2 + u_1 u_2 \frac{m_y}{m_x} \left( \frac{\partial}{\partial y} m_x \right) - v_1 u_2 \frac{m_x}{m_y} \left( \frac{\partial}{\partial x} m_y \right) \right] \hat{j}$$

Isallobaric wind:

$$ISAL(s) = \frac{1}{f} \hat{k} \times \frac{\partial}{\partial t} \underline{V}_g$$

Jacobian operator:

$$JCBN(s_1, s_2) = m_x \left( \frac{\partial}{\partial x} s_1 \right) m_y \left( \frac{\partial}{\partial y} s_2 \right) - m_y \left( \frac{\partial}{\partial y} s_1 \right) m_x \left( \frac{\partial}{\partial x} s_2 \right)$$

## GEMPAK Grid Diagnostic Equations

Cross product with vertical unit vector:

$$KCRS(\underline{V}) = \hat{k} \times \underline{V} = -v\hat{i} + u\hat{j}$$

Laplacian operator:

$$LAP(s) = \nabla^2 s = \nabla \cdot (\nabla s)$$

Solve Poisson equation of a forcing function with the given boundary values:

$$POIS(s_1, s_2) \text{ defined as } \nabla^2 \phi = s_1$$

where

- $s_1$  = forcing function
- $s_2$  = boundary values
- $\phi$  = function for which to solve

Isentropic potential vorticity (IPV) of a layer:

$$PVOR(\theta, \underline{V}) = -g(\bar{\zeta}_\theta + f) \frac{\partial \theta}{\partial p}$$

where

- $\bar{\zeta}_\theta$  = isentropic vorticity; the overbar denotes layer average

In isobaric coordinates, potential vorticity of a layer is:

$${}^pVOR(\theta, \underline{V}) = -g \left( \bar{\zeta}_p + f + \left( \hat{k} \times \frac{\partial \bar{V}}{\partial \theta} \right) \right) \frac{\partial \theta}{\partial p}$$

where the overbar denotes layer average

Q-vector at a level (map factors are not shown):

$$QVEC(s, \underline{V}) = - \left( \frac{\partial \underline{V}}{\partial x} \cdot \nabla s \right) \hat{i} - \left( \frac{\partial \underline{V}}{\partial y} \cdot \nabla s \right) \hat{j}$$

## GEMPAK Grid Diagnostic Equations

Q-vector of a layer (map factors are not shown):

$$QVCL(s, \underline{V}) = \left( \frac{1}{\left( \frac{\partial s}{\partial P} \right)} \right) \left( \left( \frac{\partial \bar{V}}{\partial x} \cdot \nabla \bar{s} \right) \hat{i} + \left( \frac{\partial \bar{V}}{\partial y} \cdot \nabla \bar{s} \right) \hat{j} \right)$$

where the overbar denotes layer average

Richardson number:

$$RICH(\underline{V}) = \frac{g \partial \theta}{\theta \partial z} \left( \left| \frac{\partial \underline{V}}{\partial z} \right| \right)^{-2}$$

Rossby number:

$$ROSS(\underline{V}_1, \underline{V}_2) = \frac{|(\underline{V}_1 \cdot \nabla) \underline{V}_2|}{f |\underline{V}_1|}$$

Flux divergence:

$$SDIV(s, \underline{V}) = \nabla \cdot s \underline{V} = s(\nabla \cdot \underline{V}) + \underline{V} \cdot \nabla s$$

Shearing deformation:

$$SHR(\underline{V}) = m_x \frac{\partial v}{\partial x} + m_y \frac{\partial u}{\partial y} + v \frac{m_x}{m_y} \left( \frac{\partial}{\partial x} m_y \right) + u \frac{m_y}{m_x} \left( \frac{\partial}{\partial y} m_x \right)$$

Stretching deformation:

$$STR(\underline{V}) = m_x \frac{\partial u}{\partial x} - m_y \frac{\partial v}{\partial y} + u \frac{m_x}{m_y} \left( \frac{\partial}{\partial x} m_y \right) - v \frac{m_y}{m_x} \left( \frac{\partial}{\partial y} m_x \right)$$

Vector component of V1 along V2:

$$VASV(\underline{V}_1, \underline{V}_2) = \left( \frac{\underline{V}_1 \cdot \underline{V}_2}{|\underline{V}_2|^2} \right) \underline{V}_2$$

## GEMPAK Grid Diagnostic Equations

Relative vorticity:

$$VOR(\underline{V}) = \hat{k} \cdot \nabla \times \underline{V} = m_x \left( \frac{\partial v}{\partial x} \right) - m_y \left( \frac{\partial u}{\partial y} \right) - v \frac{m_x}{m_y} \left( \frac{\partial}{\partial x} m_y \right) + u \frac{m_y}{m_x} \left( \frac{\partial}{\partial y} m_x \right)$$